


10-16-00

A

JC943 U.S. PTO
10/13/00




Attorney Docket No. 082329/0103

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Inventor(s): Dan MOLANDER

Title: A STACKABLE PLASTIC BOX BLANK

Filed: Herewith

"Express Mail" Mailing Label
No. EL246273672 US
Date of Deposit OCTOBER 13, 2000
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Jorie Signature JOHNSON

JC906 U.S. PTO
09/687654
10/13/00



BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, DC 20231

UTILITY PATENT APPLICATION TRANSMITTAL

New nonprovisional application under 37 CFR 1.53(b)

- ☒ Fee Transmittal Form (Submit an original, and a duplicate for fee processing)
- ☒ Specification [Total Pages]
- ☒ Drawing(s) (35 USC 113) [Total Pages]
- ☒ Oath or Declaration [Total Pages]
 - ☐ Newly executed (original or copy)
 - ☒ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 17 completed) [Note Box 5 below]
 - ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application (see 37 CFR 1.63(d)(2) and 1.33(b)).
- ☒ Incorporation By Reference (useable if Box 4b is checked). The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
- ☐ Microfiche Computer Program (Appendix) Hard Copy Only

011.332353.1

7. ☐ Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
- a. ☐ Computer Readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement verifying identity of above copies

DOCUMENTS ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (copy of recorded Assignment enclosed)
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copy of IDS Citation
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14. ☒ Small Entity Statement(s) ☒ Statement filed in prior application, status still proper and desired. (copy enclosed)
15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☐ Other: _____

17. If a CONTINUING APPLICATION, check the appropriate box and supply the requisite information.
- ☐ Continuation ☒ Divisional ☐ Continuation-in-part (CIP) ...of prior application No.: 09/403,580

18. Correspondence Address

NAME: Marshall J. Brown

ADDRESS: Foley & Lardner
Suite 3300
330 North Wabash Avenue

CITY: Chicago

STATE: Illinois

ZIP CODE: 60611-3608

COUNTRY: USA

TELEPHONE: (312) 755-2704

FAX: (312) 755-1925

19. The filing fee has been calculated as shown below

CLAIMS	(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULATIONS
	TOTAL CLAIMS (37 CFR 1.16(c))	13 - 20 =	0	x \$18=	\$ 0
	INDEPENDENT CLAIMS (37 CFR 1.16(b))	2 - 3 =	0	x \$78=	\$ 0
	MULTIPLE DEPENDENT CLAIMS (if applicable) (37 CFR 1.16(d))			+ \$260=	0
				BASIC FEE (37 CFR 1.16(a))	\$ 690.00
				Total of above Calculations =	\$ 690.00
	Reduction by 50% for filing by small entity (Note 37 CFR 1.9, 1.27, 1.28).				\$ 345.00
	TOTAL =				\$ 345.00

20. ☒ Small entity status:

- a. ☐ A small entity statement is enclosed.
- b. ☒ A small entity statement was filed in the prior nonprovisional application and such status is still proper and desired.
- c. ☐ Is no longer claimed.

21. The Commissioner is hereby authorized to credit overpayments or charge the following fees to Deposit Account No. 06-1450:

- a. ☒ Any additional filing fees required under 37 CFR 1.16 for the application or any amendment thereto, once any check for fees submitted herewith has been taken into account
- b. ☒ Fees required under 37 CFR 1.17


22. ☒ A check payable to the Director of the United States Patent and Trademark Office in the amount of \$345.00 is enclosed to cover the filing fee.

23. Other: _____

24. SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT (REQUIRED)

NAME: Marshall J. Brown

SIGNATURE:



 44,566

REGISTRATION

DATE

October 13, 2000

Applicant or Patentee: Dan MOLANDER

Title: A STACKABLE PLASTIC BOX BLANK AND METHOD
FORMING SAME

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) and 1.27(c)) -- SMALL BUSINESS CONCERN**

I hereby declare that I am an officer of the small business concern empowered to act on behalf of the concern identified below:

Mouldex Plast AB
P.O. box 9093
S-291 09
Kristianstad, Sweden

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the above-entitled invention made by inventor Roland Winston, and described in the specification filed herewith.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights in the invention is listed below, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by a concern which would not qualify as a small business concern under 37 CFR 1.9(d), or as a nonprofit organization under 37 CFR 1.9(e): NONE.

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name of Person Signing:

DAN MCMAUNDER

Title of Person if other than Owner:

Address of Person Signing:

Mouldex Plast AB
P.O. box 9093
S-291 09
Kristianstad, Sweden

Signature:



Date:

991015

A BOX BLANK AND A METHOD OF FORMING SAME

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a division of Application Serial No. 09/403,580, filed October 22, 1999 (Attorney's Docket No. 082329/0102). The disclosure of that application is fully incorporated by reference herein. U.S. Patent Application No. 09/403,580 is a National Phase application based on PCT/SG97/00039, which claims priority to Swedish Patent Application No. 9701293-4, filed April 24, 1997.

The present invention relates to a box blank and a method of forming same.

Containers, such as boxes, are ubiquitous and essential for storage, packaging and transport of various goods and products. Cardboard boxes are generally preferred over boxes made of other materials such as plastics and various blanks for transport of cargo because they are lighter, less bulky and recyclable. Such boxes may also be formed as a blank, to minimize volume when empty and which is assemblable to form the box. However, the inherent disadvantages of cardboard boxes are that they are prone to damage and have weak hinges and are thereby unsuitable for stacking and containing heavy loads. Moreover, cardboard boxes normally require adhesive taping of the flaps covering the top of the box to prevent them from caving in or opening up.

It is an object of the invention to provide an improved box blank.

According to the invention in the first aspect there is provided a box blank formed from plastics material and comprising a plurality of hinge elements connecting a plurality of panels

for forming sides of the box, the hinge elements and panels being formed from different plastics material.

The hinge elements are preferably formed by plastics material having greater toughness but less rigidity than the plastics material forming the panels to provide structural advantages for both components which could not be achieved with a box blank of a single material.

The hinge elements are further preferably formed from a plastics material having a melt index less than the material from which the panels are formed and have a plurality of projections formed thereon.

According to the invention in the second aspect there is provided a method of forming a box blank comprising the steps of: forming a net of hinge elements of a first plastics material; and forming panels of a second plastics material in the spaces between elements of the net.

Preferably the net is placed in an injection mould with the second plastics material being injected into said spaces to form the panels. Preferably the injection moulding process is separately controlled for each panel so that the panels are formed evenly.

The net is preferably formed from the first plastics material having a melt index less than the melt index of the second plastics material so that the second plastics material when injected melts the skin of the first plastics material so that the plastics material fuse together to form the box blank.

Preferably the net is provided with a plurality of projections formed thereon which act, firstly, to help reduce surface tension effects when the second material is injected and, form islands to

which the second material can attach itself. Furthermore, the projections project slightly above the level of the panels once formed and when formed from a less rigid material, create an anti-slide panel to assist in frictional contact between the boxes when stacked.

According to the invention in the third aspect there is provided a box blank comprising a plurality of panels connected by hinge elements, the panels including structural panels forming the sides of the box and load bearing panels, the load bearing panels being connected to the structural panels by hinge elements formed parallel to the intended direction of load bearing support provided by the load bearing panels.

With the box blank constructed in accordance with the third aspect of the invention, the load bearing panels provided additional columnal support to the structural panels without an intervening hinge element in the direction of intended load support which might be subject to stress leading to consequent failure.

An embodiment of the invention will now be described, by way of example, with reference to the accompanying drawings in which:

Figure 1 is a perspective view of a net used for reinforcing hinge regions of a box blank being an embodiment of the invention.

Figure 2 is a cross-sectional view taken along line C-C' in Figure 1.

Figure 3 is a perspective view of a box blank showing use of the net.

Figures 4A, 4B and 4C depict progressively the flow of molten plastics along the net shown in Figure 1 resulting in the formation of a hinge element to be used in the blank as shown in Figure 3.

Figure 5A depicts in more detail the blank of Figure 3. Figures 5B, 5C, 5D and 5E depict progressively how the blank may be folded to form a box.

Figure 6 is a sectional view of part of two such boxes stacked on top of each other.

With reference to Figure 1 an injection - moulded net 2 formed as a single piece of material, preferably made of rubber-modified polypropylene is shown. The quantity of elastomer in the rubber-modified polypropylene is preferably such as not to cause problems if the blank is regranulated in one piece. Net 2 is used for the purpose of forming the hinges of a box blank. A first injection mould is used to manufacture net 2. Pressures and temperatures involved in the injection moulding process follow known techniques.

Net 2 is symmetrical along axes A-A' and B-B', and has a ladder-like appearance. It comprises two elongate rectangular strips 8 and 10 of equal length placed parallel to each other and joined together by four shorter rectangular strips 12, 14, 16 and 18 parallel to each other, perpendicular to strips 8 and 10 and separated from each other by a predetermined spacing. The spacing between the shorter strips is dependent on the dimensions of the box required. The elongate edges of strips 12, 14, 16 and 18 are formed of unequal dimensions and strips 8 and 10 bear discontinuities 19 along their outer edges to enable strips 12, 14, 16 and 18 to be easily folded along their lengths. Net 2 is preferably of a constant thickness.

Figure 2 depicts an exploded view of the cross-section C-C' and shows panels 4 and 6 of net 2 bearing equally spaced convex projections 20 arranged in four rows along the width of strips 8, 10, 12 14, 16 and 18.

To form the blank, net 2 is placed in a second injection mould (not shown) having a shape to produce box blank 35 as shown in Figure 3. Once net 2 is placed in the mould, molten plastics, preferably a copolymer polypropylene with a melt index between 15 - 20 and marginally higher than the rubber-modified polypropylene used for net 2, is then injected to fill in the mould. Multiple injection points are used for injection of the molten copolymer polypropylene in the spaces in between net 2 to ensure a controlled and even flow of the molten copolymer polypropylene, with the injection being separately controlled at each injections point to fill the spaces simultaneously. The molten copolymer polypropylene follows a laminar flow, originating from injection points in the spaces in between the elements of net 2 and moves outwards from the injection points towards the edges of net 2. Thereafter and as shown in Figs 4A, 4B and 4C, the molten polypropylene flows over the net 2 but only as far as an edge of the mould between 32, 34. Since the rubber-modified polypropylene of net 2 has a marginally lower melt index, it melts partially on contact with the molten copolymer polypropylene, such that both materials fuse to form a blank, at the same time preserving the structure of net 2. The flow of the molten copolymer polypropylene is stopped by the mould once it reaches lines 32 and 34 along each of the strips 8, 10, 12, 14, 16 and 18; as shown in Figure 4C.

The convex projections 20 of net 2 aid in laminar flow of the molten copolymer polypropylene by breaking up its panel tension and increase the grip of net 2 on the copolymer polypropylene

and ensure the strength of blank 35. The convex projections 20 also marginally protrude from panels 36 and 38 of blank 35 as shown in the plan view of Figure 4C.

Blank 35, as depicted by Figure 5A, therefore has hinge elements 70, 72, 74, 76, 78, 80, 82, 84, 86, 90, 92, 94, 96 and 98 which are formed by the unfilled spaces between the lines 32 and 34, of Figure 4B, along the strips of net 2, the hinge elements connecting the thus formed panels 40 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66 and 68. The panels comprise structural panels 40, 44, 48, 50, 52, 54, 56, 58, 60, 64 and 68 joining the sides and closure of the box and load bearing panels 42, 46, 62 and 66, the use of which is detailed hereinafter with reference to Fig. 6.

As depicted by Figure 5A, panel 54 is moulded such that it contains one concavity 120 near each of its four corners. The concavities 120 are formed such that they appear as convex projections on the reverse side of panel 54. Panels 50 and 58 also contain similar concavities 120 near hinge elements 80 and 86 respectively. Panel 42 contains a concavity 122, formed near the corner formed by edge 105 and hinge element 72, with diametrically opposite ends cut away. Concavity 122 appears as a convex projection on the reverse side of panel 42. Panels 46, 62 and 66 contain similar concavities 122 near the corners formed by edge 107 and hinge element 76, edge 115 and hinge element 92 and edge 117 and hinge element 96 respectively. Panels 44 and 64 contain rectangular openings 124 at either end of edges 135 and 137 respectively. Openings 124 are formed such that the convex projections of concavities 122 snap fit into them. Panels 44 and 64 contain further U-shaped openings 126 located adjacent to their rectangular openings 124. Panels 44 and 64 also contain rectangular openings 132 with rounded corners and lengths running parallel to hinge elements 74 and 94.

Panels 40, 48, 60 and 68 each contain one U-shaped slit and a circular indentation 130. The U-shaped slits are formed such that they result in U-shaped sections 128 that snap fit into U-shaped openings 126. Circular indentations 130 are formed such that convex projections of concavities 122 snap fit into them. Panels 50 and 58 each possess two V-shaped projections 142 and two V-shaped receptacles 144.

Figures 5A, 5B, 5C, 5D and 5E progressively illustrate how the blank 35 may be folded in a particular manner to form the box. Panels 44 and 64 are folded towards each other through an angle of ninety degrees along hinge elements 74 and 94 respectively. Panels 42 and 62 are also folded towards each other through an angle of ninety degrees along hinge elements 72 and 92 respectively. Similarly panels 46 and 66 are also folded towards each other through an angle of ninety degrees along hinge elements 76 and 96 respectively. At this stage blank 35 should resemble Figure 5B. Panels 52 and 56 are then folded towards each other angle through an angle of ninety degrees along hinge elements 82 and 84 respectively. Edges 102 and 104 of panels 42 and 46 respectively will then be aligned with hinge element 74 such that edges 106 and 108 meet. Similarly edges 112 and 114 of panels 62 and 66 respectively will be aligned with hinge element 94 such that edges 116 and 118 meet. Blank 35 would then resemble Figure 5C. The convex projections of concavities 122 present on panels 42 and 46 are then snap fit into rectangular openings 124 on panel 44 thereby holding panels 42, 44 and 46 together. Similarly the convex projections of concavities 122 present on panels 62 and 66 are snap fit into rectangular openings 124 on panel 64 thereby holding panels 62, 64 and 66 together. Convex projections of concavities 122 further protrude out of rectangular openings 124 after snapping into them.

Figure 5D shows how panel 50 is then folded through an angle of ninety degrees along hinge element 80 such that hinge element 70 is aligned along edge 105 of panel 42 and a portion of edge 135 of panel 44 and hinge element 90 is aligned along edge 115 of panel 62 and a portion of edge 137 of panel 64. Similarly panel 58 is folded through an angle of 90 degrees along hinge element 86 such that hinge element 78 is aligned along edge 107 of panel 46 and a portion of edge 135 of panel 44 and hinge element 98 is aligned along edge 117 of panel 66 and a portion of edge 137 of panel 64. The V-shaped projections 142 of panel 50 then fit into the corresponding V-shaped receptacles of flap 58 and vice-versa. Panels 40 and 48 are then folded through an angle of ninety degrees along hinge elements 70 and 78 such that their respective U-shaped sections 128 snap fit into the U-shaped openings of panel 44 at the same time allowing the convex projections of concavities 122 protruding out of panel 44 to snap fit into circular indentations 130. Thus, panels 40, 42, 44, 46 and 48 are held together. Panels 60 and 68 are similarly folded through an angle of ninety degrees along hinge elements 90 and 98 and snap fit so that panels 60, 62, 64 and 68 are held together. A box is thus formed and is depicted in Figure 5E. Rectangular openings 132 with rounded corners may be used to grip and carry the box.

Figure 6 illustrates two such boxes stacked on top of each other. The convex projections of concavities 120 on panels 50 and 58 of the lower box rest in concavities 120 of panel 54. The two boxes are thus held in place and the upper box is prevented from sliding over the lower box. Moreover, the force exerted by the upper box on the lower box due to its weight is borne principally by load bearing panels 46 (and like panels 42, 62 and 66) thereby reducing the pressure that would otherwise exist on the panels 44 and 64 (and like panels) and the hinges formed by the hinge elements 70, 78, 74, 90, 98 and 94. The boxes are further

prevented from sliding over each other by the additional friction created by the marginally protruding sections of convex projections 20 of net 2.

When the boxes are in a collapsed state such as in Figure 5A, they may be stacked on top of each other such that convex projections of concavities 120 on the panel of the lower box rest in the concavities 120 of the upper box thereby preventing the boxes from sliding over each other.

The embodiment of the invention described herein above is not to be construed as limitative. For example, although the box is described incorporating the reinforcing net, and a novel load-resistant structure, these features may be used independently. Furthermore, both the box and the reinforcing net may be constructed of materials other than polypropylene such as polythene. As such it is to be understood that modifications may be made to the embodiments described without departing from the scope of the invention.

CLAIMS

1. A box blank formed from plastics material and comprising a plurality of hinge elements connecting a plurality of panels for forming sides of the box, the hinge elements and panels being formed from different plastics materials.
2. A blank as claimed in claim 1 wherein the hinge elements are formed from a plastics material having a greater toughness but less rigidity than the plastics material forming the panels.
3. A blank as claimed in claim 1 wherein the hinge elements and panels are formed from plastics materials belonging to the same family of compounds.
4. A blank as claimed in claim 1 wherein the hinge elements are formed from rubber-modified polypropylene.
5. A blank as claimed in claim 1 wherein the panels are formed from polypropylene.
6. A blank as claimed in claim 1 wherein the hinge elements are formed from a plastics material having a lower melt index than the plastics material from which the panels are formed.
7. A blank as claimed in claim 1 wherein the hinge elements include a plurality of projections formed thereon.
8. A blank as claimed in claim 1 wherein the panels include structural panels for forming the sides of the box and load bearing panels, the load bearing panels being connected to the

structural panels by hinge elements formed not perpendicular to the intended direction of load support provided by the load bearing panels.

9. A box blank comprising a plurality of panels connected by hinge elements, the panels including structural panels for forming the sides of the box and load bearing panels, the load bearing panels being connected to the structural panels by hinge elements formed not perpendicular to the intended direction of load support provided by the load bearing panels, the panels and hinge elements being formed from plastics.

10. A blank as claimed in claim 1 wherein the hinge elements are formed from rubber-modified polyethylene.

11. A blank as claimed in claim 1 wherein the panels are formed from polyethylene.

12. A blank as claimed in claim 1 wherein the panels and hinge elements are fused together.

13. A blank as claimed in claim 7 wherein the projections protrude from the panels.

ABSTRACT

A BOX BLANK AND A METHOD OF FORMING SAME

A box blank 35, constructed using a reinforcing net 2 to strengthen its hinges, and a method for making the same is disclosed. The box blank 35 also possesses a structure which reduces the forces bearing on its structural walls when loaded and stacked.




FIGURE 1




FIGURE 2




FIGURE 3





FIGURE 4B

OFFICE OF THE SECRETARY

PLAN VIEW



ELEVATION VIEW




FIGURE 4C

OFFICE OF THE SECRETARY




FIGURE 5A




FIGURE 5B




FIGURE 5C




FIGURE 5D




FIGURE 5E




FIGURE 6

DECLARATION AND POWER OF ATTORNEY
(Multiple Inventors)

As a below named inventors, we declare that:

Our residences, post office address and citizenship are as stated below next to our names; that we believe we are the original, first and joint inventors of the subject matter which is claimed and for which a patent is sought on the invention or design entitled (b) A STACKABLE PLASTIC BOX BLANK AND METHOD OF FORMING SAME, the specification of which:

(c) X is attached hereto; or
_____ was filed in the United States on _____ as Application Serial
_____ No. _____;

that we have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above; and that we acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to us to be material to patentability as defined in 37 C.F.R. § 1.56.

We hereby claim foreign priority benefits under 35 U.S.C. § 119 of any foreign application(s) for patent or inventor's certificate designated below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application to which priority is claimed:

<u>Number</u>	<u>Country</u>	<u>Date Filed</u>	<u>Priority Claimed</u>
9701293-4	Singapore	24 April 1997	NIL

(d)

We hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, We acknowledge the duty to disclose material information as defined in 37 C.F.R. § 1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

Application Serial Number

Date Filed

Status

(e)

I hereby claim the benefit under Title 35, United States Code, § 199(e) of any United States provisional applications(s) listed below:

(Application Serial Number)

(Date Filed)

(f)

(Application Serial Number)

(Date Filed)

(Application Serial Number)

(Date Filed)

We hereby appoint Russell J. Barron, Reg. No. 29,512; Stephen A. Bent, Reg. No. 29,768; David A. Blumenthal, Reg. No. 26,257; Douglas A. Boehm, Reg. No. 32,014; John C. Cooper, Reg. No. 26,416; Harry C. Engstrom, Reg. No. 26,876; John J. Feldhaus, Reg. No. 28,822; Jack L. Lahr, Reg. No. 19,621; Peter G. Mack, Reg. No. 26,001; Brian J. McNamara, Reg. No. 32,789; Sybil Meloy, Reg. No. 22,749; James G. Morrow, Reg. No. 32,505; Jefferson Perkins, Reg. No. 31,407; George E. Quillin, Reg. No. 32,792; Michael D. Rechtin, Reg. No. 30,128; Donald P. Reynolds, Reg. No. 26,220; Colin G. Sandercock, Reg. No. 31,298; Bernhard D. Saxe, Reg. No. 28,665; Charles F. Schill, Reg. No. 27,590; Richard L. Schwaab, Reg. No. 25,479; Arthur Schwartz, Reg. No. 22,115; Harold C. Wegner, Reg. No. 25,258, all of said attorneys being of the firm of Foley & Lardner, our attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith, and to file and prosecute any international patent applications filed thereon before any international authorities under the Patent Cooperation Treaty.

Direct all telephone calls to Jefferson Perkins at Telephone No. 312-755-2512.

Address all correspondence to:

Foley & Lardner
Suite 3300
330 North Wabash Avenue
Chicago, Illinois 60611-3608.

We declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Attorney Docket No.: 082329/0102 (a)

Full Name of First Inventor: Dan MOLANDER

Inventor's signature: 

Date: Aug 30th 1999

Residence: Vasagatan 16
S-291 53 Kristianstad
Sweden

Citizenship: Swedish

Post Office Address: _____

Full Name of Second Inventor: _____

Inventor's signature: _____

Date: _____

Residence: _____

Citizenship: _____

Post Office Address: _____

